



Please visit our website at  
[www.hunyady.com](http://www.hunyady.com)

**ABSOLUTE AUCTION**  
**Ricon, Inc.**

**1440 Cowpath Rd. • Hatfield, PA 19440 • 215/361-9099 • Fax: 215/361-9212**

**NOTICE:** Ricon, Inc., is liquidating the majority of its equipment which is surplus to its present needs. Quality equipment has also been accepted from Maxim Crane Works, Mele Site Development, and Beckwith Machinery, as well as area contractors. Items have also been included from SunTrust Leasing, GE Capital Corporation, and First National Bank of Pennsylvania. This auction also includes the complete liquidation of B&P Logging & Excavating and Paul Contracting. Everything will positively sell to the highest bidder regardless of price!

**LOCATION:** The auction will be conducted at the former Pace Pipeline property, located on Business Route 66 in Delmont, Pennsylvania 15601

**TERMS:** Payment in full is required on sale day by cash, certified funds, or check with a bank letter of guarantee. Sample letter of guarantee: "We hereby guarantee the payment of our customer \_\_\_\_\_ written on his account up to \_\_\_\_\_ dollars for purchases at your auction sale on November 18, 2004." All guaranteed checks should be made payable to Hunyady Auction Co.

**SALES TAX:** The Commonwealth of Pennsylvania requires that sales tax be collected on items being sold by lending institutions, rental companies, and equipment dealers, with the exception of titled vehicles. Items subject to the Pennsylvania State Sales Tax at the rate of 6% will be noted in the sale day catalog.

**INSPECTION:** Items will be available for inspection one week prior to the auction from 8:00 a.m. until 5:00 p.m. or sale day morning from 7:00 a.m. until 9:00 a.m. (With the exception of Sunday, November 14, at which time the site will be closed)

**REMOVAL:** After complete payment, all sale items may be removed on sale day as long as the removal activity is not disruptive to the sale and only until 5:00 p.m. Items may also be removed Friday and Saturday, Nov. 19 & 20 and Monday and Tuesday Nov. 22 & 23, from 8:00 a.m. until 5:00 p.m. and Wednesday Nov. 24, from 8:00 a.m. until 12:00 noon. All items must be removed no later than November 24, at 12:00 noon.

**SALE SITE DIRECTIONS: FROM THE INTERSECTION OF US ROUTE 22 AND STATE ROUTE 66:** Follow Route 66 South (0.8) miles to Exit #12 (Old Exit 7) (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South (0.9) miles to sale site on left.

**PENNSYLVANIA TURNPIKE TRAVELING EAST:** Exit #57 (Old Exit #6) (Pittsburgh) and follow Route 22 East to Route 66 South and follow directions above.

**PENNSYLVANIA TURNPIKE TRAVELING WEST:** Exit #75 (Old Exit #8) (New Stanton) and follow signs and proceed to toll road Route 66 North. Travel on Route 66 North 11.9 miles to Exit #7/12 (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South 1.0 miles to sale site on left.

**AIRPORT INFORMATION:** This area is serviced both privately and commercially through Arnold Palmer Regional Airport in Latrobe, Pennsylvania (724) 539-8100 (LBE). Rental cars are available.

**MOTEL INFORMATION:** Holiday Inn Express (Delmont) (724) 468-1050 • Super 8 (Rt. 66 Delmont) (724) 468-4888 • Super 8 (Monroeville) (724) 733-8008 • Days Inn (New Stanton-20 minutes from sale site) (724) 925-3591 (There are many additional motels in the New Stanton and Monroeville areas)

**SALE SITE PHONE NUMBER:**  
**(724) 837-2581**

**SALE SITE FAX NUMBER:**  
**(724) 837-2584**



'91 Ravens 48' Spread Axle



(2) Aluminum Trench Boxes



# ABSOLUTE AUCTION

## THURSDAY, NOVEMBER 18, 2004 9:00 AM

'00 Peterbilt 378 & '00 Talbert 55 Ton

**Ricon, Inc. and  
 (2) Complete Liquidations  
 Delmont, Pennsylvania  
 (Pittsburgh Area)**



1440 COWPATH RD. • HATFIELD, PA 19440  
 215/361-9099 • Fax: 215/361-9212



'95 Cat IT28F



'92 Link-Belt HSP8028



'01 Komatsu PC95

PRE-SORTED  
 FIRST CLASS MAIL  
 U.S. POSTAGE  
**PAID**  
 HAVERTOWN, PA  
 PERMIT #45

**(12) HYDRAULIC EXCAVATORS AND ATTACHMENTS**

**2001 KOMATSU Model PC95 Hydraulic Excavator**, s/n 21D5200201, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with articulating boom, 6' dipper stick with auxiliary hydraulics, WB Manual quick disconnect, 14" digging bucket, 7'2" backfill blade, enclosed cab with light package, 18" TBG pads, and 9'6" crawlers. In good condition with good undercarriage. (Meter Reads 01,417 Hours) (Paul)

**1998 CATERPILLAR Model 312BL Hydraulic Excavator**, s/n 8JR00805, powered by Cat 3064T diesel engine and hydraulic drive, equipped with 9'10" dipper stick, 36" digging bucket, JRB hydraulic quick disconnect, auxiliary hydraulics, 24" TBG pads, and 12'4" crawlers. In good condition with good undercarriage. (Mele)

**1996 CATERPILLAR Model 312 Hydraulic Excavator**, s/n 6GK01823, powered by Cat 3064 diesel engine and hydraulic drive, equipped with 8' dipper stick, Hendrix hydraulic quick disconnect, Esco 24" digging bucket, auxiliary hydraulics, 11'9" crawlers, and 24" TBG pads. In good condition with fair to good undercarriage. (Ricon)

**1993 CATERPILLAR Model 311 Hydraulic Excavator**, s/n 5PK00646, powered by Cat 3064 diesel engine and hydraulic drive, equipped with 7-6" dipper stick, 18" digging bucket, air conditioning, light package, 20" TBG pads, and 11' crawlers. In good condition with good undercarriage. (Paul)

**1997 KOMATSU Model PC128UU Hydraulic Excavator**, s/n 2134, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with articulated boom, 7' articulated dipper stick, 24" digging bucket, 8' backfill blade, air conditioning, light package, 19-1/2" TBG pads, and 11'6" crawlers. In good condition with good undercarriage.

**1998 JOHN DEERE Model 690D-LC Hydraulic Excavator**, s/n DW690DL520408, powered by John Deere 6 cylinder diesel engine and hydraulic drive, equipped with 9' dipper stick, 42" digging bucket, 30" TBG pads, and 13'9" crawlers. In good condition with good undercarriage.



'98 Cat 312BL



'96 Cat 312



'93 Cat 311



'97 Komatsu PC128UU



John Deere 690D-LC

**1989 CATERPILLAR Model 225BLC Hydraulic Excavator**, s/n 2ZD01577, powered by Cat 3208 diesel engine and hydraulic drive, equipped with 8' dipper stick, 30" digging bucket, 30" TBG pads, and 14'8" crawlers. In fair to good condition with fair undercarriage.

**CATERPILLAR Model 235 Hydraulic Excavator**, s/n 81X386, powered by Cat 3306 diesel engine and hydraulic drive, equipped with 9'6" dipper stick, 32" digging bucket, hydraulic quick disconnect, auxiliary hydraulics, 34" TBG pads, and 13'4" crawlers. In fair condition with fair to good undercarriage.

**JOHN DEERE Model 50 Hydraulic Excavator**, s/n CH0050D001068, powered by Yanmar diesel engine and hydraulic drive, equipped with 6'6" dipper stick, 12" and 24" digging buckets, backfill blade, heated cab, light package, and 15" DBG pads. In good condition with good undercarriage. (B&P)

**HITACHI Model EX50URG Hydraulic Mini Excavator**, s/n 10E-060B, powered by Isuzu 3 cylinder diesel engine and hydraulic drive, equipped with articulated boom, articulated stick, 5'6" and 5' 2-piece dipper stick, 24" digging bucket, 79" backfill blade, light package, and 16"x8" rubber crawlers. In good condition with fair to good undercarriage.

**KOMATSU Model PC60U-3 Hydraulic Mini Excavator**, s/n 4086, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with articulated boom, 5'5" dipper stick, 26" digging bucket, light package, 18" TBG pads, and 8'8" crawlers. In good condition with good undercarriage.

**1999 NPK Model E-216 Hydraulic Demolition Hammer**, s/n 61611, equipped with mounting brackets for Cat 330 and 325 excavators. In good to very good condition. (Ricon) (Rebuilt Approx. One Year Ago)

**Komatsu PC95 Digging Buckets:** 36" • 26" • 20" • 32" Digging Bucket (Cat 311)

Cat 312: Hydraulic Demolition Hammer • NPK C-6B Hydraulic Plate Compactor • NPK C-6 Hydraulic Plate Compactor • WB Hydraulic Swivel Attachment, with 60" clean-up bucket • FELCO 24" Sheepsfoot Roller Bucket • ESCO 36" Digging Bucket • Thumb Attachment

Cat 320: WB Hydraulic Swivel Attachment, with 72" clean-up bucket

**ASBURY 72" Clean-up Bucket • FELCO 24" Sheepsfoot Roller Bucket Cat 325: 24" Digging Bucket • WB Frost Tooth Attachment** 48" Digging Bucket (Cat 330) • Frost Tooth Attachment (Cat 330) • Short Stick (Cat 235) • (1 set) Bucket Rippers • BODINE 5-Tine Grapple (Cat 311/312) • ROCKLAND Hydraulic Thumb, s/n R21899B, with hydraulic plumbing (Cat 311/312) • NPK Hammer Points including: (2) 16X, (2) 12X, (3) E220, (2) E225, and (1) E220



Cat 235



'89 Cat 225BLC



John Deere 50



Hitachi EX50URG



'99 NPKE-216

**END DUMPS**

**1990 VOLVO Model A25, 25 Ton 6x6 Articulated End Dump**, s/n A25V6100, powered by Volvo diesel engine and 3 speed powershift transmission, equipped with heated body (not hooked up), air conditioning, and 23.5R25 tires. In good condition with fair to good tires. (Ricon)

**1992 MOROOKA Model MST-600 All Terrain Dump**, s/n 2191, powered by Mitsubishi 4 cylinder diesel engine and hydrostatic transmission, equipped with 7'6" steel dump body with drop sides, ROPS canopy with material basket, light package, and 20"x10'6" rubber crawlers. In good condition with good undercarriage. (Ricon)

**INTEGRATED TOOL CARRIER AND RUBBER TIRED LOADERS**

**1995 CATERPILLAR Model IT28F Integrated Tool Carrier**, s/n 3CL01531, powered by Cat 3116 diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting edge, hydraulic quick disconnect, auxiliary hydraulics, enclosed ROPS cab with heat and air conditioning, light package, and 20.5R25 tires. In good condition with fair tires. (Ricon)

**IT28F: Hydraulic Side Dump Bucket • 48" Fork Attachment**  
**FIAT ALLIS Model FR-10B Rubber Tired Loader**, s/n 610219, powered by Fiat Allis 6 cylinder diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting, enclosed ROPS cab with light package, and 17.5x25 tires. In fair to good condition with fair tires. (Paul)

**CATERPILLAR Model 930 Rubber Tired Loader**, s/n 41K998, powered by Cat 4 cylinder diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting edge, enclosed ROPS cab, and 17.5x25 tires. In fair to good condition with good tires.

**BALDERSON 2.5 CY Hydraulic Side Dump Bucket** (JRB Quick Coupler)  
**ROCKLAND Hydraulic Extended Reach Loader Bucket** (Cat IT14B) Fork Attachment (Case W-18)



Cat 930



**CRAWLER TRACTORS, CRAWLER LOADERS, AND ATTACHMENTS**

**1990 CATERPILLAR Model D4H, Series II Crawler Tractor**, s/n 8PB04383, powered by Cat 3204DI diesel engine and powershift transmission, equipped with 6-way blade, ROPS canopy, and 18" SBG pads. In good condition with good undercarriage. (Mele)

**CATERPILLAR Model D3C Crawler Tractor**, s/n 5KG00404, powered by Cat 3204 diesel engine and powershift transmission, equipped with 6-way blade, ROPS canopy, and 16" SBG pads. In good condition with fair to good undercarriage. (Ricon)

**1995 KOMATSU Model D37P Crawler Tractor**, s/n 3414, powered by Komatsu diesel engine and powershift transmission, equipped with 6-way straight blade, ROPS canopy, and SBG pads. In good condition with good undercarriage.

**JOHN DEERE Model 450C Crawler Tractor**, s/n 319347T, powered by John Deere diesel engine and Hi-Lo reversing transmission, equipped with 6-way blade, hydraulic winch, ROPS canopy with sweeps, rock guards, and 16" SBG pads. In good condition with good undercarriage. (B&P) (John Deere Exchange Engine, Steering Clutches - New Undercarriage)

**CATERPILLAR Model D6D Crawler Tractor**, s/n 4X5114, powered by Cat 3306 diesel engine and powershift transmission, equipped with straight blade, Hyster D6C hydraulic winch, ROPS canopy with sweeps, and 20" SBG pads. In fair condition with fair undercarriage. (Beckwith)

**CATERPILLAR Model 963 Crawler Loader**, s/n 21Z02590, powered by Cat 3304 diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, ROPS canopy, and 22" DBG pads. In fair to good condition with fair undercarriage. (Ricon)

**CATERPILLAR 953 Crawler Loader**, s/n 20Z00473, powered by Cat 3204 diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, ROPS canopy, and 20" DBG pads. In fair condition with fair to poor undercarriage. (Mele) (Engine Problems)

**CATERPILLAR Model 955K Crawler Loader**, s/n 61H513, powered by Cat diesel engine and powershift transmission, equipped with general purpose loader bucket with teeth, rear mounted counter-weight, ROPS canopy with light package, and rock guards. In fair condition with fair to good undercarriage.



John Deere 450C



Cat D6D



Cat 955K



