



1440 COWPATH RD. • HATFIELD, PA 19440
215/361-9099 • Fax: 215/361-9212
www.hunyady.com



(3) OF (4) FORKLIFTS



'21 RAM 2500 PROMASTER



'02 SPIRAL HELIX 200L SPIRAL DUCT FORMING MACHINE

PRE-SORTED
FIRST CLASS MAIL
US POSTAGE
PAID
UPPER DARBY, PA
PERMIT #45



**ABSOLUTE AUCTION
VIRTUAL, LIVE BROADCAST
AND TIMED EVENT
COMPLETE LIQUIDATION
BY ORDER OF SECURED CREDITOR**

**MARX
HALO
MARX**

**WEDNESDAY, SEPTEMBER 27, 2023
LIVE, VIRTUAL AUCTION BEGINS AT 9:00 AM
TIMED EVENT ITEMS BEGIN TO CLOSE AT 12:00PM NOON
(2) Locations - Wilkes-Barre, PA and Bound Brook, NJ**



Marx Sheet Metal & Mechanical, Inc.
HALO Marx Sheet Metal



Notice: By Order of Secured Creditor, all assets of Marx Sheet Metal and Mechanical, Inc. and HALO Marx Sheet Metal are being sold at Absolute Auction via a live broadcasted, virtual auction. Items will be sold from (2) of Marx's facilities in Wilkes-Barre, PA and Bound Brook, NJ. All items will be sold free and clear of any liens or encumbrances and will positively sell to the highest bidder regardless of price, without minimums or reserves.

Locations: Auction items are at (2) locations and are indicated at the end of each description or category. Locations are: Marx Sheet Metal & Mechanical, Inc. facility located at 373 High Street, Wilkes-Barre, PA 18702 and the HALO Marx Sheet Metal facility located at 14 Easy Street, Bound Brook, NJ 08805

LIVE, VIRTUAL AUCTION: This auction is being conducted via LIVE, VIRTUAL ONLINE ONLY. There will be NO LIVE BIDDING FROM THE SITE. ADDITIONALLY, there will be NO PAYMENTS accepted at the auction site! Payment must be paid either by wire transfer or credit card.

Terms: Complete payment immediately after receipt of invoice by wire transfer or credit card only. Credit card payments will be charged a 3% processing fee.

Financing: Financing is available, please contact Susan (215) 361-9099 at the auction company for details.

Online Bidding: Live internet bidding will be provided by Proxibid. Proxibid will charge an Internet Service Provider Fee of 5% to the successful internet bidder for items over \$10,000 and 10% for items \$10,000 and under, for each lot purchased on-line. All bidders are required to register to bid through Proxibid.

Sales Tax: Since these contractors are selling items not normally sold in the course of their business, the Commonwealth of Pennsylvania and the State of New Jersey consider this an isolated sale and does not require the auction company to collect sales tax.

Inspection: Items will be available for inspection beginning Wednesday, September 20th and continuing weekdays only, from 8:00AM to 4:00PM – the site will be closed Saturday and Sunday.

Rigging and Dismantlement: A professional rigging contractor has been selected to load specific shop equipment. Additionally, the authorized dealer has been contracted to dismantle the Coil Lines and the Plasma Tables, to prepare for shipping. Items which are subject to the rigging fees are identified in the brochure description. The fees associated will be determined in the coming days and the fee schedule will be published on the Hunyady website. Rigger loadout will be scheduled over the following days: Bound Brook, NJ will be scheduled for October 2nd – 4th and Wilkes-Barre, PA will be scheduled for October 9th – 11th. Loadout fees will be added to the purchase price of those items. For safety and logistical reasons, we will not allow any outside rigging contractors or self-loading.

Removal: After complete payment items, which are not subject to rigging contractor loading, can be removed sale day until 4:00pm. Items may also be removed Thursday and Friday, September 28th and 29th and Monday thru Wednesday, October 2nd thru October 4th from 8:00AM to 4:00PM. The site will be closed Saturday and Sunday. All items located at the Bound Brook, NJ facility must be removed by Wednesday, October 4, 2023 at 4:00PM. All items located at the Wilkes-Barre, PA facility must be removed by Wednesday, October 11, 2023 at 4:00PM.

Sale Site Phone: (800) BID-N-BUY • Sale Site Fax: (888) 859-8958

VEHICLES AND TRAILERS



'05 STERLING A9500 AND STEP DECK

2005 STERLING A9500 Single Axle Truck Tractor, powered by Mercedes OM460, 450HP diesel engine and Eaton Fuller 10 speed transmission, 22,700# rear and 12,000 front axles, air ride suspension, cab fairings, A/C, cc, and 295/75R22.5 tires. In good condition. (PA)

1985 GREAT DANE 48' Tandem Axle Step Deck Trailer, 10' upper deck, 37' lower deck, spring suspension, D-ring tiedowns, and 225/70R22.5 tires. In good condition. (PA)

2021 RAM 2500 Promaster Panel Van, powered by 3.6L gas engine and automatic transmission, high roof, interior metal cabinets, ladder rack, 8,900lb GVWR, Blue Tooth, pw and locks, cc, and A/C. In very good condition. (PA)

2015 NISSAN NV2500 HD Panel Van, powered by V-8 gas engine and automatic transmission, high roof, interior metal shelving and bottle rack, ladder rack, pw, cc, and A/C. In good condition. (PA)



'21 RAM 2500 PROMASTER

2012 MITSUBISHI FUSO FE160 Single Axle Van Body Truck, powered by Fuso diesel engine and automatic transmission, Morgan 16'6" aluminum van body with roll up rear doors and Maxon 1,500# liftgate, 15,995# GVWR, spring suspension, pw, cc, and A/C. In good condition. (Odometer Reads 156,166 Miles) (Right Side Van Body And Front Bumper Damage) (PA)

2000 INTERNATIONAL 4700 Single Axle Van Body Truck, powered by International DT466E diesel engine and automatic transmission, Morgan 26' aluminum van body with roll up rear and curbside doors and Walco liftgate, 25,500# GVWR, and spring suspension. In fair condition. (055,152 Miles) (Engine Injectors Need To Be Replaced) (PA)

2008 FORD F-450XL Super Duty, 4x4 Stake Body Truck, powered by Powerstroke 6.4L diesel engine and automatic transmission, 12' flatbed with stake sides and electric lift gate, dual rear wheels, tow package, cc, and A/C. In good condition. (Odometer Reads 125,645 Miles) (PA)

2008 FORD F-550XL Super Duty Single Axle Flatbed Truck, powered by Powerstroke 6.4L diesel engine and automatic transmission, 16' steel stake bed with metal stake sides and liftgate, 19,000# GVWR, spring suspension, dual rear wheels, and A/C. In fair condition. (PA)

2002 FORD E-450 Super Duty Single Axle Passenger Bus, powered by Triton V-10 gas engine and automatic transmission, Champion 14 passenger body, dual rear tires, cc, and front and rear A/C. (PA)

2008 FORD F-150XLT, 4x4 Crew Cab Pickup Truck, powered by 5.4L gas engine and automatic transmission, 5'6" bed with material rack, pw, locks, and mirrors. In fair condition. (PA)

2015 VOLVO XC60, T6 Platinum AWD Sport Utility Vehicle, powered by 3.0L turbo gas engine and automatic transmission, sunroof, leather interior, interior power package, cc, A/C, and alloy wheels. In good condition. (PA)



'15 VOLVO XC60 AWD

(2) 2016 FORD Escape SE, 4x4 Sport Utility Vehicles, powered by 1.6L Eco Boost gas engine and automatic transmission, 4-door, pw, locks, and mirrors, cc, and A/C. In good condition. (PA)

(3) 2021 and 2019 LGS 24' Tandem Axle Aluminum Cargo Trailers, 8'6" width, 10,000# GVWR, fold down rear and curbside doors, and 225/75R15 tires. In good condition. (PA)

(4) WABASH and PINES 28' x 102" Single Axle Aluminum Pup Van Trailers – (1) with Maxon 2,500 lb lift gate. In good condition. (PA)
(5) 48' and 45' Tandem Axle Van Trailers. In fair to good condition. (NJ)



(1) OF (3) LGS 24' ENCLOSED TRAILERS

DUCT MANUFACTURING COIL LINES AND RELATED EQUIPMENT



2012 Iowa Precision Pro-Fabriduct HVAC Full Coil Line System consisting of:

6-Reel Uncoiling System: 72" width reel capacity and individual feeder paths • Pro-Ductomatic Processing System, 14 GA capacity with beader, notching units, cleat roller, sheer/brake head • Left Hand 90° Transfer Table Station • Single Side Seam Roll Former Station with (2) sets of forming rolls, transfer table • TDC Flange Roll Forming System, 96" transfer table, 90-degree transfer, dual side TDC flange forming station, umbilical remote operation • Insulation and Pinning System, gluing system, single insulation roll, squaring arm, insulation knife, Dura Dyne FGMH multihead pin spotter with (6) VPF-2 vibratory parts feeder heads • Wrap Brake Station • Pedestal Mounted CNC Programmable Controls with display screen, (2) control cabinets, 480V, 3 phase. (Rigging Fee) **(NJ)**



2000 Engel Compact II Coiline HVAC Duct Manufacturing System consisting of:

5-Reel Uncoiling System, 60" width reel capacity, individual feeder paths • Processing System, 16 GA capacity with straightener, beader, (4) notching units, shear • 3-Table Right Hand Transfer System • Cleat Edge Former Station • TDF Roll Forming Machine • Wrapper Brake Station • Pedestal Mounted Controls with AMS CNC Programmable Controls with display panel (AMS Controls Upgrade Performed In 2019) (Rigging Fee) **(PA)**

2009 IOWA PRECISION CM-G-HDA Dual Head Cornermatic Corner Insertion Machine, 60"x18 GA capacity, 15"x15" base, and 36"x36" in floor opening. (Rigging Fee) **(NJ)**

2009 IOWA PRECISION FAH-1672-VP, Pro-XVI, Whisper-Loc Seam Closing Machine, 16 GA capacity, 18" to 72" adjustable height and 32.5"x35" in floor opening. (Rigging Fee) **(NJ)**



00 IOWA PRECISION CORNERMATIC

2000 ENGEL M-516PS-V Pittsburgh Seam Closer, 5HP hydraulic power unit and 60"x16-26 GA. (Rigging Fee) **(PA)**

2009 JETLINE ENGINEERING LWS-60Z, 60" Longitudinal Seam Welding Machine, (2) 9600 controls, CWF-50 wire feeder, 2009 Miller Maxstar 350 welder. (Rigging Fee) **(PA)**

2002 SPIRAL - HELIX 200L Spiral Tube Forming Machine, pneumatic track mounted vertical uncoiler, (17) dies 4" - 40", forming heads, and discharge conveyor. (Rigging Fee) **(PA)**

HARPER / ENGEL Cut-To-Length Angle Iron Machine, shear, punch, and Cooper Weymouth uncoiler. (Rigging Fee) **(NJ)**

DURO DYNE RH Rolling Head Pin Spotter, 60" manual insulation roller with cutters, parts feeder, 60"x20' and 67"x73" layout tables. **(PA)**

DURO DYNE RH Rolling Head Pin Spotter, 60" layout tables and parts feeder. **(NJ)**

DURO DYNE MFPT Compact Pinspotter, 220V, inserter gun, bench mount. **(PA)**



02 SPIRAL HELIX 200L SPIRAL DUCT FORMING MACHINE



09 IOWA PRECISION CORNERMATIC AND WHISPER-LOC

2000 IOWA PRECISION CM-F-HD Dual Head Cornermatic Corner Insertion Machine, 55"x18 GA capacity and 48" radius table. (Rigging Fee) **(PA)**



00 ENGEL PITTSBURGH SEAM CLOSER

PLASMA CUTTING TABLES

EAST COAST 20' x 5' Plasma Cutting System, (2) 10'x5' burn tables, Kaliburn SR-45i, 45 amp plasma cutting system, single torch, router cutting head, (2) Cook 4,000 CFM exhaust system, and CNC controls. (Rigging Fee) **(NJ)**

EAST COAST Plasma Cutting System, 10'x5' burn table, Kaliburn SR-45i, 45 amp plasma cutting system, single torch, Bosch router cutting head, Cook 4,000 CFM exhaust system, and CNC controls. (Rigging Fee) **(NJ)**

LOCKFORMER Vulcan Plus 10 Plasma Cutting System, 20'x5' burn table, Hypertherm Powermax 65 plasma cutting system, single torch, exhaust system, and Mestek CNC controls. (Rigging Fee) **(PA)**



EAST COAST PLASMA CUTTING SYSTEM



LOCKFORMER 20' X 5' PLASMA CUTTING SYSTEM

ROLL FORMERS AND CLEAT BENDERS

ENGEL M1640, 18-26 GA Roll Former, 7.5HP, 16 station, umbilical remote, portable. (PA)

• (2) **LOCKFORMER AGF-16, 16 GA Auto Guide Flangers (PA and NJ)** • **LOCKFORMER 6016, 16-30 GA Beading Roll Former, 5 bead, 60" capacity. (NJ)**

• (5) **LOCKFORMER 20 GA Roll Formers, (5) station. (PA and NJ)** • **LOCKFORMER 22 GA Cleatformer Roll Former, (9) station. (NJ)**

• **LOCKFORMER Cleatformer Roll Former, (9) station. (PA)**

• **LOCKFORMER TDC Roll Former, (14) station. (NJ)**

• **ROPER WHITNEY / PEXTO 3617-D Combination Rotary Machine, 18 GA capacity, 13" throat, and foot pedal control. (PA)**

• **1958 NIAGARA #180 Combination Rotary Machine (NJ)**

• **R.T. SMITH 2024VP, 24"x20 GA Vertical Cleat Bender, 30"x72" hydraulic table and foot pedal control. (PA)**

• (4) 24" and 18" Manual Cleat Benders **(PA and NJ)**

• (2) **ROUND0 60"x10 GA Pyramid Rolls, electric powered, (3) 4" rolls and foot pedal control. (PA and NJ)**

• **PEXTO 30"x2" Pyramid Roll, 1/2HP, foot pedal control, table mounted. (NJ)** • **PEXTO 381D, 36"x22 GA Pyramid Roll, stand mounted. (PA)** • **Pneumatic C-Frame Punch, 5" center, table mounted. (PA)**



ENGEL M1640 ROLL FORMER



ROLL FORMERS



ROUND0 60 INCH PYRAMID ROLL

HYDRAULIC SHEARS AND PRESS BRAKES



1997 ADIRA GHS-0630, 10'x1/4" Hydraulic Squaring Shear, 34" left hand squaring arm, 13"x10' feed table, (2) 24" front support arms, and power back gauge. (New Set of Spare Dies) (Rigging Fee) (PA)

ADIRA HYDRAULIC SHEAR

CINCINNATI 1010, 10'x10 GA Mechanical Shear, 120" squaring arm, 20"x10 feed table, (2) front 54" support arms, power back gauge, and foot bar control. (Rigging Fee) (NJ)



CINCINNATI MECHANICAL SHEAR



ROTO-DIE 15, 10'x14 GA Hydraulic Press Brake, 15HP, (3) 39" front and (3) 39" rear support arms, and foot pedal control. (Rigging Fee) (NJ)

ROTO-DIE 15 PRESS BRAKE

FECO / ROTO-DIE 15, 10'x14 GA Hydraulic Press Brake, 15HP, rear operated back gauge, (3) 39" front and (2) rear support arms, and foot pedal control. (Rigging Fee) (PA)



ROTO-DIE 15 PRESS BRAKE




ROPER WHITNEY 816, 8'x16 GA Manual Brake (NJ) • **CHICAGO W37, 8' Manual Box and Pan Brake (PA)** • **TENNSMITH 4' Manual Box and Pan Brake (PA)** • **8' Manual Brake (PA)**

MANUAL BRAKES

IRONWORKER, COLD SAW, AND SPOT WELDERS

MUBEA HPS250, 28 Ton Ironworker, 220V, punch, 3"x3" angle and 6" plate shears, and notcher. (NJ)

SCOTCHMAN CPO350 HT, 14" Circular Cold Saw, variable speed, rotary table, 10"x10" infeed and 10"x7" outfeed roller tables. (NJ)



LORS 150AR-DV, 50 KVA Rocker Arm Spot Welder, 34" throat, adjustable work height, Dnyafux Pro Coll II cooling system, microprocessor control. (NJ)

ROPER WHITNEY 15KVA Rocker Arm Spot Welder, 24" throat, adjustable height. (PA)

LORS 50KVA SPOT WELDER


VICTAULIC GROOVERS, PIPE THREADERS, CORE DRILLS, AND HARDWARE

VICTAULIC VE414MC Roll Grooving Machine, 208/230V, VAP131 fabrication system, with hydraulic adjustable pipe stand, 12" track system, 36"x72" assembly table, and (2) adjustable positioners. (PA)

2011 VICTAULIC VE106 OGS Original Grove System, s/n GNG782, portable on cart, foot pedal control. (PA)



VICTAULIC ROLL GROOVER



RIDGID 1224

RIDGID 1224 Pipe Threader, with cart (PA) • (3) **RIDGID 535 Pipe Threaders**, with carts (PA) • (3) **RIDGID 300 Pipe Threaders**, with stands (PA) • **RIDGID 802 Pipe Threader**, with cart (PA) • **LARGE QUANTITY RIDGID Tri-Stands** (PA) • (2) **HILTI DD-250X Core Drills** (PA) • (2) **MILWAUKEE Core Drills** (PA) • (50+/-) Core Drill Bits, 2" – 4" (PA)



HILTI CORE DRILL

LARGE QUANTITY of VICTAULIC Couplers, Elbows, Tees, Fernco Fittings, Iron Pipe Flanges, Elbows, Tees, and Galvanized Pipe Hangers (PA)



VICTAULIC COUPLERS AND PIPE HARDWARE

WELDERS AND PLASMA CUTTERS

(3) **LINCOLN Ranger 8, 225 Amp AC/DC Stick Welder/Generators**, 8,000 watt generator, gas powered. (PA)

MILLER Bobcat 225G, 225 Amp AC/DC Stick Welder/Generator, 8,000 watt generator, gas powered. (PA)

2009 MILLER PipeWorx 400 Multiprocessor MIG Welding System, Pipeworx dual feeder system and MIG guns (PA)

(2) 2001 **LINCOLN Power Mig 255 MIG Welders** (PA) • 2009 **MILLER Millermatic 252 MIG Welder** (NJ) • (2) 2001 **MILLER Millermatic 250X MIG Welders** (NJ) • (2) **MILLER Millermatic 212 Auto Set MIG Welders** (PA) • 1999 **MILLER Millermatic 185 MIG Welder**, Miller Spoolmate 185 wire gun. (PA) • 2021 **MILLER Millermatic 180 Auto-Set MIG Welder** (PA) • (2) **MILLER Millermatic 180 Auto Set MIG Welders** (PA) • 1999 **LINCOLN Square Wave Tig 275 TIG Welder**, Lincoln TIG Pulsar controller, Tig torch, foot pedal control. (PA) • (2) **MILLER CST280 TIG/Stick Welders** (PA) • (1) **LINCOLN 140C MIG Welder**, 120 volt (PA) • 2001 **MILLER Millermatic 135XP MIG Welder**, 115V. (NJ) • (1) **LINCOLN SP-125 Plus Mig Welder**, 120 volt (PA) • (7) **LINCOLN Idealarc 250 Amp Stick Welders** (PA) • (1) **AIRCO 250 Amp AC/DC Stick Welder** (PA) • (1) **MILLER Thunderbolt 210 CC/DC Stick Welder** (PA) • 2000 **MILLER Spectrum 300 CutMate**, 33.6 AMP Plasma Cutting System, 115/230V. (PA) • **HYPERTHERM Powermax 1000 Plasma Cutter** (PA) • **HYPERTHERM Powermax 350 Plasma Cutter** (PA) • (3) **INNERLOGIC SR-45i, 45 AMP Plasma Cutting Systems** (NJ) • **HYPERTHERM Max 40 Plasma Cutter** (PA)



MILLER PIPEWORX 400



MILLER MIG WELDERS



WELDERS

(20+/-) **GENIE and SUMNER Material Lifts**, 18' – 24' • (15+/-) **KNAACK Data Vaults, Storage and Jobmaster Chests, and Jobmaster Cabinets** • **LARGE QUANTITY Rolling Gang Boxes, Material Racks, Platform Carts, and Shop Tool Carts**



MATERIAL LIFTS

MATERIAL LIFTS, GANG BOXES, AND CARTS

HAND TOOLS

HILTI Gas Powered Demo Saw (PA) • **HILTI Electric Paving Breaker**, with cart (PA) • **Magnetic Drills** (PA) • (10+/-) **Electric Abrasive Chop Saws** (PA) • **LARGE QUANTITY of HILTI and MILWAUKEE Cordless and Coded Tools** To Include: Power Crimpers and Press Head Dies • Hammer Drills • Saws Alls • Porta Band Saws • Drills • Impact Drivers (PA and NJ)

SHOP SUPPORT EQUIPMENT

INGERSOLL RAND 10HP Vertical Air Compressor, 120 gallon tank. (NJ)
 • 2010 **MSC** MH-916JRP Horizontal Metal Cutting Bandsaw, 9" capacity, cart mounted. (PA) • **RUOFF** 2657B Notcher (PA) • **TAHOE** 7,000 Watt Portable Diesel Generator (PA) • (6) Oxygen/Acetylene Torch Outfits, with carts. (No Gas) (PA)

SHEET METAL INVENTORY AND HVAC SPECIALTY TOOLS AND DUCT ACCESSORIES

(2) 60" Coils, 18 Gauge and 20 Gauge, 304 Stainless Steel (NJ)
 • 60" Coil, 24 Gauge, Galvanized (NJ) • (2) 60" Coils, 16 Gauge and 24 Gauge, Cold Rolled Mild Steel (NJ) • 56" x 250' Coil, 16 Gauge, Galvanized (NJ) • (2) 48" Coils, 16 Gauge, Galvanized (NJ)
 • (3) 60" Coils, 22 Gauge, Carbon Coated Galvanized 3/32 Round Punched (PA) • 4' x 8' Sheets of Stainless, Galvanneal, Galvanized, and Aluminum (NJ and PA)



SHEET METAL COILS



ORIFLOW Duct Leakage Test System
 • **JB INDUSTRIES** F6 and **APPION** G5 Refrigerant Recovery Systems • R-22 Refrigerant Gas Bottles (PA)
VERY LARGE QUANTITY of Duct Work Fittings • Flanges • Diffusers • Bends • Hoods • Dampers • Power Ventilators • Trapeze Cables and Wire Rope • Duct Sealant and Adhesives (PA)

ORIFLOW DUCT LEAKAGE TEST SYSTEM

TRIMBLE EQUIPMENT



TRIMBLE 3D LASER SCANNERS

TRIMBLE RTS673 Robotic Total Station, with data tablet and prism target. (PA)
2015 TRIMBLE RTS873 Robotic Total Station, with data tablet and prism target. (PA)



TRIMBLE ROBOTIC TOTAL STATIONS

2017 TRIMBLE TX6, 3D Laser Scanner, with battery packs and charger. (PA)
2015 TRIMBLE TX8 3D Laser Scanner, with battery packs and charger. (PA)

FORKLIFTS AND SCISSOR LIFTS

2015 DOOSAN GC55C-5, 10,450# Cushion Tired Forklift, powered by LP gas engine and powershift transmission, 3-stage mast, 180" lift height, hydraulic side shift, 72" forks, and FOPS canopy. In good condition. (PA)



'15 DOOSAN GC55C-5

1998 HYSTER S120XL2, 11,700# Solid Tired Forklift, powered by LP gas engine and hydrostatic transmission, 3-stage mast, 208" lift height, 72" manual shift forks, and FOPS canopy. In good condition. (NJ)



HYSTER S120XL2

1994 HYSTER S100XL, 10,000# Solid Tired Forklift, powered by LP gas engine and shuttle transmission, 111" 2-stage mast, power side shift, 60" forks, and FOPS canopy. In good condition. (PA)



HYSTER S100XL

2000 HYSTER H35XM, 3,300# Cushion Tired Forklift, powered by LP gas engine and shuttle transmission, 3-stage mast, 189" lift height, hydraulic side shift, 48" forks, and FOPS canopy. In good condition. (PA)

YALE Walk Behind Stacker, powered by 12V battery, 126" lift height, 42" hydraulic spreading forks, and charger. (PA)



HYSTER H35XM

Electric Pallet Jack, 110V charger, 42" forks. In good condition. (PA)

1997 GROVE SM3884XT, 38', 4x4 Scissor Lift, powered by 3 cylinder gas engine, 74"x140" platform, 48" platform extension, 1,250# capacity, and 10-16.5 tires. In good condition. (PA)



GROVE SM3884XT

1997 JLG 2646E, 26' Scissor Lift, battery powered electric, 43" x 98" platform, 50" platform extension, 750# capacity, and non marking tires. In good condition. (PA)

1997 JLG 2646E, 26' Scissor Lift, battery powered electric, 43" x 98" platform, 50" platform extension, 750# capacity, and non marking tires. (Not Running - No Batteries) (PA)

1998 JLG 2032E2, 20' Scissor Lift, battery powered electric, 30"x91" platform, 36" platform extension, 750# capacity, and non marking tires. (Not Running) (PA)

1998 JLG 2033E, 20' Scissor Lift, s/n 200041491, battery powered electric, 30"x94" platform, 36" platform extension, 750# capacity, and non marking tires. (Not Running) (PA)