

1440 COWPATH RD. • HATFIELD, PA 19440 215/361-9099 • Fax: 215/361-9212 www.hunyady.com



`07 FREIGHTLINER-NATIONAL 23 TON 6X6



(4) GRADALL 6,000 LB Rough terrain telescopic



`15 BOBCAT E85M & `14 KUBOTA KX040-4









Notice: After (31) successful years of design and full-build construction of industrial and commercial metal building structures, owners Mr. Tim McCormick and Elizabeth McCormick, have decided to exit the building construction industry in order to concentrate on property rentals and other real estate endeavors. Everything in the auction is owned by McCormick Structural Systems, Inc and will sell at Absolute Auction to the highest bidder, without minimums or reserves.

Auctioneer's Note: Due to the volume of items to be sold, this auction will be conducted as a one-day, online, 2-Auction format; Live Broadcast and Timed Auctions. The format will be as follows, however subject to minor changes:

- 9:00 AM Eastern Live-Broadcasted Auction: Equipment, Trucks and Trailers
- 12:00 Noon Eastern Timed Auction Begins to Close: Shop and Contractor Tools and Equipment; Construction Materials

Location: The auction will be held at the McCormick office/yard location at 1345 West 12th Street, Erie, PA 16501 (Please Note: There will be NO LIVE BIDDING onsite) LIVE, VIRTUAL AUCTION: This auction is being conducted via LIVE, VIRTUAL ONLINE ONLY. There will be NO LIVE BIDDING FROM THE SITE. ADDITIONALLY, there will be NO PAYMENTS accepted at the auction site! Payment must be paid either by wire transfer or credit card.

Terms: Complete payment immediately after receipt of invoice by wire transfer or credit card only. Credit card payments will be charged a 3% processing fee.

Financing: Financing is available, please contact Susan (215) 361-9099 at the auction company for details.

Online Bidding: Live internet bidding will be provided by Proxibid. Proxibid will charge an Internet Service Provider Fee of 5% to the successful internet bidder for items over \$10,000 and 10% for items \$10,000 and under, for each lot purchased on-line. All bidders are required to register to bid through Proxibid.

Sales Tax: Since the items being sold were not normally sold in the course of this business, the Commonwealth of Pennsylvania considers this an isolated sale and does not require the auction company to collect sales tax.

Inspection: Items will be available for inspection beginning (1) week prior to auction, starting Wednesday, June 18, 2025 from 8:00AM until 4:00PM thru sale day morning beginning at 7:00AM. The site is closed for the weekend.

Removal: After complete payment items can be removed sale day until 4:00pm. Items may also be removed Thursday and Friday, June 26th and 27th and Monday thru Wednesday, June 30th thru July 2, 2025 from 8:00AM until 4:00PM. All items must be removed by Wednesday, July 2, 2025 at 4:00PM.

Sale Site Phone: (800) BID-N-BUY • Sale Site Fax: (888) 859-8958

— CONCRETE AND REBAR EQUIPMENT —

2002 SOMERO COPPERHEAD Model S-9210 Laser Screed, s/n

10024ABA0702, powered by Honda gas engine, equipped with 10' vibrating screed and (2) TRIMBLE GCR-4 Grade Control laser instruments. In good condition with fair tires. (Meter Reads 373 Hours) (Purchased New)

2024 FASCUT FR800C Rebar Cutter/Bender s/n 20062 • (2) FASCUT 600B Rebar Cutter/Benders • WHITEMAN Model JWN24HTCSL Ride-On Trowel, 6' nonoverlapping dual 36" rotors, Honda 24HP gas with transport wheels • WACKER Model CRT46KHN Ride-On Trowel, dual 46" rotors, Kohler 25HP gas with transport



`02 SOMERO COPPERHEAD S-9210

wheels • 36" and 48" Trowel Float Pans • (3) WHITEMAN 44" Power Trowels, Honda gas • BARTELL B424, 24" Edging Trowel, Honda gas • CORECUT CC6550, 36" Concrete Saw, diesel engine, hydrostatic • CORECUT CC2500 Concrete Saw, Honda 20HP dual fuel engine, hydrostatic • GORILLA GCT-8 Soft-Cut Concrete Saw, Honda gas • TARGET PAC III Concrete Saw, gas • 1,385+/- Sq Ft SYMONS Forms Consisting of: (40) 2' x 8'; (78) 2' x 4'; (3) 2' x 6'; (20) 1' x 4'; • (2) 8" x 4' • Assorted 8'6" and 4' Outside Corners, Hardware, and Accessories • (2) GAR-BRO 1.0 Cubic Yard Round Concrete Buckets • (7) BNT-40X Cordless Rebar Tie Guns • DEWALT Cordless & Electric Concrete Vibrators • Concrete Form Wagon • Concrete Blankets • Rebar Chairs and Caps • (7) Aluminum Straight Edge Screeds • 4' and 5' Bull Floats, with handles

CONSTRUCTION SITE MATERIALS

8' x 16' x 5" Trench Box, with 36" spreaders • **GME** 5 Cubic Yard Stone Box • (68 Sections) 12' Wide x 80" High Temporary Chain Link Fencing, with Rubber Bases • (2) 4' x 12' x 3/4" Road Plate • (4) 12' x 4' x 3/4" Road Plates • 11'2" x 5'4" x 1" Road Plate • Engineered Metal Building Parts and Accessories • Metal Roofing Accessories • **ABS** Black Corrugated Pipe • PVC Pipe • 40' x 8' Storage Container

— SHOP EQUIPMENT —

LANAIR MX250 Free-Standing Waste Oil Heater • QUINCY QTH10-120, 2-Stage Shop Air Compressor, 120 gal. air receiver, 10HP, 230 volt/3-phase • MARVEL Series 8, Mark II Metal Cutting Band Saw with roller tables • **BUFFALO** 1/2 Universal Iron Worker, order #47Y21532 • **RIGID** 300 Pipe Threader, Cutting Heads, Oiler and TriStand • LINCOLN Ranger 225 Amp DC Welder, gas engine • MULTIQUIP BLW-300SS, 300 Amp DC Welder/10KW Generator, 3-cylinder diesel (Meter Reads 1,381 Hours) • MILLER Shop Master 300 AC/DC Welder, with Miller S-22A wire feed unit • LINCOLN Pro-Cut 60 Plasma Cutter, 22 gauge, 1/2" steel • LINCOLN SP-140T Mig Welder, 120 volt • LINCOLN AC/DC 225/125 Arc Welder • (4) Oxygen Acetylene Torch Kits • 20 Ton Shop Press • 4 Ton Porta Power, with accessories • (3) Electric Portable Air Compressors • SNAP-ON 2-1/2 Ton Hydraulic Floor Jack, Bottle Jacks and Jack Stands • HOTSY Gas Powered Hot Pressure Washer (burner not working) • DELTA & **CRAFTSMAN** Drill Presses • Pedestal Grinders • 1" Pneumatic Impact Wrench • UNUSED PITTSBURGH 3/4" Torque Wrench • Impact Sockets • Combination Wrenches, Socket Sets, Pipe Wrenches • Tire Cage • Steel Shop Tables • Automotive Parts, Wire, Filters, and Miscellaneous • Lubricant Fluids, Barrel Pumps, and Carts • Assorted Hardware and Parts Cabinets • (12 Sections) Pallet Racking

- CONTRACTOR TOOLS

BOMAG BW65S Double Drum Walk Behind Roller • **POWER MATE** PEA438 Post Hole Auger, 43cc 2-cycle gas, with 8" auger • **TROY BILT** Storm 2410 Walk Behind Snow Blower, 179cc gas, with electric start • (2) **WACKER** Plate Compactors • **WACKER** Foot Compactor • **STIHL** TS420 Demo Saw & (3) **HUSQVARNA** K300 WET Electric Demo Saws • (3) **FLAGRO** F400T, 400,000BTU Propane/Natural Gas Space Heaters • (2) **PORTER CABLE** Generators • 4" Diaphragm and 2" Centrifugal Pumps • (10) **DEWALT** Cordless Hammer Drills and **HILTI** TE-7 Hammer Drill • **MILWAUKEE** & **HOUGEN** Magnetic Drill Presses • **TITAN** 440 Airless Paint Sprayer • (4) **MILLER** Mighty Lite Retractable Lanyards, with rim roof mount brackets and safety harnesses • (2) **TSURUMI** 2" Electric Submersible Pumps • (2) 100 Gallon Fuel Tanks, with 12 volt electric pumps • **JOHN DEERE** JS45 Self Propelled Lawn Mower • **SIMPSON** 4000 PSI Pressure Washer, Honda GX270 gas • Fiberglass Step & Extension Ladders and Aluminum Pick Boards • **PLUS LG QTY HAND TOOLS TO INCLUDE: PASLODE** & **BOSCH** Pneumatic Nailers; (15+/-) Cordless & Electric Impact Wrenches; Portable Band Saws; (30+/-) Electric and Cordless Drills, Impact Drivers and Screw Shooters; Sheet Metal Shears and Nibblers; Reciprocating Saws; Circular Saws; Angle Grinders; Sanders

2015 KOMATSU Model PC170LC-10 Hydraulic

Excavator, s/n 30500, powered by Komatsu diesel engine, equipped with 9'6" dipper stick with auxiliary hydraulics, hydraulic coupler, Esco 24" digging bucket, stiff arm bracket, pattern changer, enclosed ROPS cab with air conditioning, and TBG pads. In good condition with good undercarriage. (Meter Reads 4,184 Hours) (Dealer Purchase Low Hours) **1998 KOMATSU** Model PC120-**6 Hydraulic** Excavator, s/n 61001, powered

by Komatsu diesel engine, equipped with 8'2" dipper stick with hydraulic coupler, 24" digging bucket, enclosed ROPS cab, and TBG pads. In good condition with good undercarriage. (Meter Reads 9,401 Hours)

2015 BOBCAT Model E85M Mini


15 KOMATSU PC170LC-10



Excavator, s/n B34T12534, powered by diesel engine, equipped with 7'2" dipper stick with auxiliary hydraulics, manual coupler, 24" digging bucket, swing boom, hydraulic thumb, 90" backfill blade, pattern changer, enclosed ROPS cab with air conditioning, and rubber tracks. In good condition with good tracks. (Meter Reads 2,653 Hours) **(Dealer Purchase Low Hours)**

HYDRAULIC EXCAVATORS AND ATTACHMENTS 2014 KUBOTA

Model KX040-4 Mini Excavator, s/n 21877. powered by Kubota diesel engine, equipped with 63" dipper stick with auxiliary hydraulics, manual coupler, 24" digging bucket, swing boom. hvdraulic thumb. 71" 6-way backfill blade, enclosed ROPS cab, and rubber tracks. In good condition with good tracks. (Meter Reads 2,473 Hours) (Purchased New) 2004 YANMAR Model ViO15-2 Mini Excavator, s/n 26059B, powered by Yanmar diesel engine



Attachments: GEITH 5-Tine Grapple (PC170)

• 2012 ALLIED Hy-Ram HR-470 Demolition Hammer, s/n 01074 (PC170) • ALLIED 715 Hydraulic Demolition Hammer, s/n 1840 (Kubota 040) •



98 KOMATSU PC120-6



`14 KUBOTA KX040-4



`04 YANMAR Vi015-2

ALLIÈD 24" Plate Compactor (Kubota 040) • **NPK** 24" Plate Compactor • **PLUS:** (15) Various Sized Excavator Cleanup and Digging Buckets



`19 KUBOTA SVL95-2S

- CRAWLER SKID STEERS AND ATTACHMENTS -

2019 KUBOTA Model SVL95-2S Crawler Skid Steer Loader, s/n 45285, powered by Kubota diesel engine and hydrostatic transmission, equipped with 80" general purpose loader bucket, power coupler, high flow hydraulics, 9-pin electric, joystick controls with pattern changer, enclosed ROPS cab with air conditioning, and rubber tracks. In good condition with good tracks. (Meter Reads 1,372 Hours) (Dealer Purchase Low Hours) 2011 KUBOTA Model SVL75 Crawler Skid Steer Loader, s/n 11390, powered by Kubota diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, manual coupler, standard hydraulics, enclosed ROPS cab with air conditioning, and rubber tracks. In good condition with good tracks. (Meter Reads 2,842 Hours) (Dealer Purchase Low Hours) Skid Steer Attachments: LEVEL BEST Laser Grading



11 KUBOTA SVL75

Box, 8' moldboard, hydraulic controls (Purchased New) • APACHE Tornado F2 Dual Control Automatic Blade Control System (Sells Separately) (Purchased New) • BOBCAT 84H Soil Conditioner • BOBCAT Hydraulic Drop Hammer, s/n 005800377 • INDECO MES-553 Hydraulic Demolition Hammer • 2017 SWEEPSTER 72" Broom, with hydraulic angle, s/n 1714032 (Purchased New) • MCMILLEN Hydraulic Auger, with 6" and 12" • (2) 48" Fork Attachments

NO MINIMUMS • NO RESERVES

CRAWLER TRACTOR, COMPACTORS AND TOOL CARRIER

2002 CATERPILLAR Model D5M XL Crawler Tractor. s/n

6GN02739, powered by Cat 3116 diesel engine and powershift transmission, equipped with 6-way blade. FTC controls, drawbar, ROPS over enclosed cab with air conditioning, and 22" SBG pads. In good condition with fair to good undercarriage. (Meter Reads 3.503) Hours) (Purchased New)

2008 VOLVO Model **SD70D Vibratory** Compactor, s/n

199505, powered by Cummins B4.5 diesel engine and hydrostatic transmission, equipped with 66" smooth drum, 2-frequency vibration, ROPS canopy, and 14.9-24 tires. In good condition with good tires. (Meter Reads 01,592 Hours) (Dealer **Purchase Low Hours) 1994 DYNAPAC** Model CA141 Vibratory Compactor,

s/n 60410168, powered by John Deere diesel engine and hydrostatic transmission, equipped with 60" smooth drum, ROPS canopy, and 16.5-16.1 tires. In fair to good condition with fair tires. (Meter Reads 02,633 Hours)

2002 CATERPILLAR Model IT28G Tool

Carrier, s/n 8CR03990, powered by Cat diesel engine and powershift transmission, equipped with Cat general purpose loader bucket, front auxiliary hydraulics, hydraulic coupler. enclosed ROPS cab with air conditioning, and 20.5-25 tires. In good condition with good tires. (Meter Reads 8,126 Hours) (Dealer **Purchase Low Hours)** Attachments: 66" Padfoot Shell Kit (Volvo SD70D) • PROTECH 14' Snow Pusher (Cat



02 CAT D5M XL



08 VOLVO SD70D



94 DYNAPAC CA141



02 CAT IT28G

IT28G) • 48 Fork Attachment (Cat IT28G) • 6' Fork Extensions (IT28G)

ROUGH TERRAIN CRANES AND TELESCOPIC FORKLIFTS

1998 GROVE Model RT528C. 28 Ton Rough Terrain Crane, s/n 86371, powered by Cummins 5.9L, 6 cylinder diesel engine and powershift transmission, equipped with 28' - 70' 3-section boom, PAT DS350GW LMI system, single hoist, 2-sheave hook block, and 20.5-25 tires. In good condition with good tires. (Meter Reads 5,585 Hours)

1991 GROVE Model RT528C, **28 Ton Rough Terrain**



98 AND `91 GROVE RT528C, 28 TON

Crane, s/n 75996, powered by Cummins 5.9B diesel engine (recon) and powershift transmission, equipped with 28' - 70' 3-section boom, 25' swing away jib, Kruger antitwo block, single hoist, weighted hook, and 20.5-25 tires. In good condition with good tires. (Meter Reads 11.672 Hours)


1990 P&H Model Century 122, 22 Ton Hydraulic Rough Terrain Crane, s/n 55974, powered by Cummins 6 cylinder diesel engine and powershift transmission, equipped with 29' - 72' 3-section boom, 25' - 35' extendable lattice jib, single hoist, and 20.5-25 tires. (Runs and Operates; Boom Telescopic Cylinder Needs Repacked; (2) Outrigger Cylinders Need Repacked; Anti-Two Block System Removed; Outrigger Solenoid Boxes Removed)

2007 JLG Model G9-43A. 9.000 Lb Rough Terrain Telescopic Forklift, s/n 0160027836,

powered by Perkins diesel engine and hydraulic drive, equipped with 4-wheel drive, 4-wheel steer, 3-section boom, auxiliary hydraulics, 48" forks, enclosed ROPS cab, and 13.00-24 tires. In good condition with good tires. (Meter Reads 4,271 Hours) 2008 GRADALL Model G6-

42P, 6,000 Lb Rough Terrain Telescopic Forklift, s/n

0160034934, powered by JD diesel engine and powershift transmission. equipped with 4-wheel drive, rear wheel steer, 3-section boom, auxiliary hydraulics, 48" forks, enclosed ROPS cab, and 13.00-24 tires. In good condition with fair to good tires. (Meter Reads 3,628 Hours) 2008 GRADALL Model G6-



07 JLG G9-43A, 9,000 LB



(4) GRADALL 6,000 LB **ROUGH TÉRRAIN TELESCOPIC**

Telescopic Forklift, s/n 0160026337, powered by JD diesel engine and hydraulic drive, equipped with 4-wheel drive, rear wheel steer, 3-section boom, auxiliary hydraulics, 48" forks, enclosed ROPS cab, and 370/75-28 foam filled tires. In good condition with fair to good tires. (Meter Reads 1,579 + 3,299 = 4,878 Hours)

2004 GRADALL Model G6-42P, 6,000 Lb Rough Terrain Telescopic Forklift, s/n 0160003037, powered by JD 4.5L diesel engine and shuttle transmission, equipped with 4-wheel drive, rear wheel steer, 3-section boom, auxiliary hydraulics, 48" forks, enclosed ROPS cab, and 13.00-24 tires. In good condition with good tires. (Meter Reads 0,136 + 3,500 = 3,636 Hours) (Purchased New)

1992 GRADALL Model 534C-6, 6,000 Lb Rough Terrain Telescopic Forklift, s/n C188251, powered by Cummins diesel engine and shuttle transmission, equipped with 4-wheel drive, rear wheel steer, 3-section boom, 48" forks, enclosed ROPS cab, and 13.00-24 tires. In good condition with good tires. (Meter Reads 5,950 Hours) Lifting Apparatus: 2021 WOODS POWER GRIP Model MRTALP Vacuum Lifter, 600 lb. capacity with (2) 150 lb vacuum pads, tilt and rotate functions, Intelli-Grip Technology. Very good condition.

TESCO 30', 6,000 Lb Engineered Spreader Beam • Shop Made 24' Lifting Beam JOHNSON 200 Lb Ball Hook • CROSBY 4-Sheave Hook Block • JOHNSON 4-Sheave Hook Block • MCKISSIK Single Sheave Hook Block • GROVE 22 Ton, 3-Sheave Hook Block • (2) Man/Material Baskets (Forklifts) • 12' Boom Extension, with fork pockets • 6' Fork Extensions

WEDNESDAY, JUNE 25, 2025 - 9:00AM

2021 MACK Model Anthem Legacy

AN64T Tandem Axle Truck Tractor, powered by Mack MP8-505C, 505HP diesel engine and Eaton Fuller 10 speed transmission, equipped with wetline system, 40,000 lb rears, 12,000 lb front axle, air ride suspension, air slide 5th wheel, differential lock, ATC traction control, stainless half fenders, aluminum wheels, single frame, power windows and locks, air conditioning. and 11R22.5 tires. In very good condition

with very good tires. (Odometer Reads 28,856 Miles) (Meter Reads 2,195 Hours) (Purchased New) **2018 FONTAINE Heavy Haul Traverse HT Tandem Axle** Hydraulic Tail Trailer, equipped with 9' upper deck, 38' lower deck, 102" width, hydraulic tail and flip

TRUCK TRACTOR, HYDRAULIC TAIL TRAILERS AND LOWBOY 2006 TRAIL KING



21 MACK ANTHEM LEGACY AN641



18 FONTAINE HYDRAULIC TAIL TRAILER ramp, hydraulic top ramp, hydraulic winch, 17,000 lb axles, 64,760 lb GVWR, frame rating 83,200 lb, Hendrickson air ride suspension, aluminum wheels, and 235/75R17.5 tires. In good condition with good tires.

Model TK80HT-482 Tandem Axle Hydraulic Tail Trailer, equipped

with 38' lower deck (8' tail with hydraulic flip ramp, hydraulic top ramp), 9' upper deck 102" width. hvdraulic winch 22.500 lb axles. 50.000 lb in 10', 95,980 GVWR, steel wheels, and 235/75R17.5 tires. In good condition with good tires. **1998 FONTAINE Specialized** TA35NGB, 35 Ton Tri-Axle Lowboy Trailer, equipped with non ground bearing, hydraulic detachable, 22' level deck, 12' over axles with boom well, 102" width,



`06 TRAIL KING TK80HT-482 HYDRAULIC TAIL TRAILER



98 FONTAINE 35 TON TRI-AXLE

77,176 lb GVWR plus 2009 Fontaine 23,000 lb flip axle, VIN# 13NM0510593550797, air ride suspension, steel wheels, and 255/70R22.5 tires. In fair to good condition with good tires. (3rd Axle Welded onto Trailer)

2005 JLG Model 660SJ, 66',

4x4 Aerial Lift, s/n 0300081969, powered by Deutz diesel engine and hydraulic drive, equipped with 66' platform height, 48.75' horizontal reach, 500 lb platform capacity, articulated boom tip, 4-wheel drive, rear wheel steer, and 15-19.5 tires. In good condition with good tires. (Meter Reads 6,349 Hours)

2014 JLG Model 600S, 60'. 4x4 Aerial Lift. s/n 0300184898. powered by Deutz diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' platform height, 49.47' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 39x15-22.5 tires. In good condition with good tires. (Meter Reads 5,126 Hours)

2007 JLG Model 600S, 60', 4x4 Aerial Lift, s/n 0300115243, powered by Deutz diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' platform height, 49.47' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 15-19.5 tires. In good condition with good tires. (Meter Reads 6,028

Hours) 2007 GENIE Model S-60, 60', 4x4 Telescopic Aerial Lift, s/n

S6007-14695, powered by Perkins diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' working height, 50'4" horizontal reach, 500 lb platform capacity, 4-wheel drive, rear wheel steer, and 355/55D625 tires. In good

condition with good tires. (Meter Reads 02,575 Hours) 2007 JLG Model 600S, 60', 4x4 Aerial Lift, s/n 0300116435, powered by Deutz diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' platform height, 49.47' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 15-19.5 tires. In good condition with good tires. (Meter Reads 6,185 Hours)

05 JLG 660SJ



14 JLG 600S



(2) OF (7) JLG 60'

(11) 4X4 AERIAL LIFTS 2005 JLG Model 600S, 60', 4x4 Aerial Lift, s/n 0300079923, powered by Deutz diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' platform height, 49.47' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 15-19.5 tires. In good condition with good tires. (Meter Reads 3,385 Hours)

2003 JLG Model 600S, 60', 4x4 Aerial Lift, s/n 0300072256, powered by Deutz diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' platform height, 49.47' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 15-19.5 tires. In good condition with good tires. (Meter Reads 7,267 Hours)

1999 JLG Model 600S, 60', 4x4 Aerial Lift, s/n 0300045306, powered by Deutz diesel engine and hydraulic drive, equipped with 60' 3-section telescopic boom, 60' platform height, 49.47' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 15-19.5 tires. In good condition with good tires.

(Meter Reads 7,938 Hours) 2002 UPRIGHT Model SB60, 60', 4x4 Aerial Lift, s/n 1442, powered by Perkins diesel engine and hydraulic drive, equipped with 60' telescopic boom. 52.5' horizontal reach, articulated boom tip, 500 lb platform capacity, rear wheel steer, and 15-19.5 tires. In good condition with good to very good tires. (Meter Reads 4,900 Hours)

2005 JLG Model 400S, 40',

02 UPRIGHT SB60

4x4 Aerial Lift, s/n 0300080071, powered by Deutz diesel engine and hydraulic drive, equipped with 40' working height, 34.1' horizontal reach, 4-wheel drive, rear wheel steer, 500 lb platform capacity, and 12-16.5 tires. In good condition with good

tires. (Meter Reads 5,102 Hours)

2008 GENIE Model S40. 40', 4x4 Aerial Lift, s/n S4008-15219, powered by Perkins diesel engine and hydraulic drive, equipped with 40' working height, 31.8' horizontal reach. 4-wheel drive, 4-wheel steer, and 12-16.5 tires. In good condition with good tires. (Meter Reads 2,836 Hours)



`08 GENIE S40

VIRTUAL, LIVE BROADCAST & TIMED AUCTIONS

BOOM TRUCK. HOOK LIFT TRUCK AND BODIES

2007 FREIGHTLINER/NATIONAL 23 Ton, 6x6 Boom Truck, powered by Cat C7, 300HP diesel engine and Freightliner 10 speed transmission, equipped with National 800D, 23 ton boom, s/n 293736, 29' - 86' 4-section boom. PAT anti-two block, weighted hook, (4) hydraulic outriggers, mounted on 2007 Freightliner Model M2 Business Class 6x6 Flatbed Truck, equipped with 22' flatbed, full locking differential, 40,000 lb rear axles, 16,000 lb front axle, Tuf Trac spring suspension, cruise control, air conditioning, 385/65R22.5 front and 11R22.5 rear tires. In good condition with good tires. (Odometer Reads 40.628 Miles) **2016 INTERNATIONAL Model**



07 FREIGHTLINER-NATIONAL 23 TON 6X6



`16 INTERNATIONAL 4300 SBA HOOK LIFT

powered by Cummins ISB6.7, 250HP diesel engine and automatic transmission, equipped with SwapLoader SL-220, 22,000 lb hook lift, 54" or 62" hook height, 22' flatbed, 19,000 lb rears, 11,000 lb front axle, air ride suspension, air brakes, DEF fluid, cruise control, air conditioning, and 295/75R22.5 tires. In good condition with good tires. (Odometer Reads 57,684 Miles) (Purchased New) Hook Lift Bodies: (2) 18' x 8' Office/Storage Containers, equipped with 7'6'

office area with man door and window, 10'6" rear storage area with folding doors • (6) 2021 – 2016 20' x 8' Connex Container Boxes • 18' Dump Body, with 45" sides and tailgate • 19' x 7'6" Steel Flatbed Body • 19' x 7'6" Steel Flatbed Concrete Form Body, with (3) 4' and (2) 8' form compartments (Used for Symons Forms) • 20' x 7'6" Steel Flatbed Body (Rolloff)

ROUGH TERRAIN AND ELECTRIC SCISSORS LIFTS AND SHOP FORKLIFT

2000 JLG Model 33RTS. **4x4 Rough Terrain Scissors**

4300 SBA Hook Lift Truck,

Lift, s/n 0200076956, powered by 4 cylinder dual fuel engine and hydrostatic transmission, equipped with extendable platform with electric outlet, 4-wheel drive, 2-wheel steer, and 31x15.5-15 tires. In good condition with good tires. (Meter Reads 3,786 Hours) 1999 JLG Model 33RTS. 4x4

Rough Terrain Scissors Lift, s/n 0200057974, powered by

4 cylinder dual fuel engine and hydrostatic transmission, equipped with extendable work platform with electric outlet and 31x15.5-15 tires. In good condition with fair to good tires. (Meter Reads 5,083 Hours)

2006 JLG Model 2030ES Electric Scissors Lift, s/n 0200150125 • 2009 MEC Model **2633ES Electric Scissors Lift.** s/n 11101095 • 2005 JLG Model 1930ES Electric Scissors Lift. s/n 200134987

CATERPILLAR Model GC15K, 2,000 lb. Solid Tired Forklift, s/n AT81D00114, powered by LP gas engine and shuttle transmission, equipped with 188" 3-stage mast and side shift, and FOPS canopy. In good condition. (Meter Reads 6,480 Hours) (Dealer Purchase Low Hours)



00 JLG 33RTS AND `99 JLG 33RTS



(3) ELECTRIC SCISSORS LIFTS



CAT GC15K, 2,000 LB

DUMP TRUCK, LIGHT DUTY TRUCKS AND ENCLOSED UTILITY TRAILERS

2007 STERLING Tri-Axle

Dump Truck, powered by Detroit 60 Series, 14.0L, 515HP diesel engine and Eaton Fuller 8LL, 10 speed transmission, equipped with Beau-Roc 17'6" steel dump body, 46,000 lb rears, 20,000 lb front axle, 20,000 lb lift axle. axle lock/differential lock, engine brake, block and beam suspension, aluminum wheels, power windows and locks, heated mirrors, cruise control, air conditioning, 385/65R22.5 front, 11R22.5 rear, and 425/65B22.5 lift tires. In good condition with good tires. (Odometer Reads 155,967 Miles) (Meter Reads 10,288 Hours) (Purchased New)

2017 RAM Model 2500 HD 4x4 Service Truck, powered by Hemi 6.4L gas engine and



07 STERLING TRI-AXLE



`17 RAM 2500 HD 4X4

automatic transmission, equipped with 8' open utility body, gas air compressor with hose reel, fuel tank wit 12 volt pump, 8D jump battery setup, single rear wheels, tow package, cruise control, air conditioning, and 245/70R17 tires. In good condition with good tires. (Odometer Reads 35,021 Miles) (Purchased New)

2014 CHEVROLET Model Silverado 1500, 4x4 Pickup Truck, powered by 5.3L gas engine and automatic transmission, equipped with 8' bed with step fuel tank and 12 volt pump, tow package, power locks, cruise control, air conditioning, and 265/70R17 tires. In good condition with good tires. (Odometer Reads 91,882 Miles) (Purchased New)

2011 KING AMERICAN 14' V-Nose Tandem Axle Enclosed Utility Trailer

(Purchased New) • 2013 BENDRON 16' V-Nose Tandem Axle Enclosed Utility Trailer (Purchased New) • 1994 CAR-MATE Model CM61200, 12' Single Axle Enclosed Utility Trailer (Purchased New) • 2006 **INTERSTATE** Model TA2, 14' Tandem Axle Enclosed Utility Trailer (Purchased New)



(2) OF (4) TANDEM AXLE **UTILITY TRAILERS**

PORTABLE AIR COMPRESSOR AND GENERATORS CHICAGO PNEUMATIC Model CPS185. 185CFM Portable Air

Compressor, s/n 15908, powered by JD diesel engine. In good condition. (Meter Reads 1,853 Hours) (Purchased New)

MULTIQUIP Whisper Weld Portable Welder/Generator, s/n 4726475, powered by Kubota diesel engine, 300 amp DC welder/10.5KW AC generator, with ball hitch. In good condition. (Meter Reads 3,520 Hours)

(2) 2015 ALLMAND 11KVA Portable Generators, powered by Kubota diesel engine, with pintle tow. In good condition. (Meters Read 4,949 Hours and 7,576 Hours) (Former Light Plants)

-SURVEY INSTRUMENTS

TOPCON GT-503 Robotic Total Station, s/n UQ012180 selling with TOPCON RC5A Remote Controller and **TOPCON** FC-5000 Data Collection Tablet (Purchased New) • TOPCON Tesla Data Collection Tablet (Purchased New) TOPCON RL-SV2S Dual Grade Rotary Laser • TOPCON RL-H4C Rotary Laser (Purchased New)



TOPCON GT-503 **ROBOTIC TOTAL STATION**

WEDNESDAY, JUNE 25, 2025 - 9:00AM